




# 3-Blade HVLS FAN

## PRODUCT SPECIFICATIONS



Sizing Chart				
	6022228	6022229	6022227	6022230
<b>Voltage</b>	120V/1PH/50 60HZ	230V/1PH 3PH/50 60HZ	460V/3PH/50 60HZ	600V 3PH/50 60HZ
<b>FLA</b>	12.1A	1PH 7.2A/3PH 4.1A	1.9A	1.8A
<b>Motor</b>	1HP/2.9FLA @ 230V/60HZ	1HP/2.9FLA @ 230V/60HZ	1HP/1.46FLA @ 460V/60HZ	1HP/1.46FLA @ 460V/60HZ
<b>VFD</b>	120V/1PH 1 HP/0.75KW/16.6A	230VAC 1/3PH 1 HP/0.75KW 8.8A/5.0A	460VAC 1PH 1 HP/0.75KW/2.5A	600VAC 3PH 1 HP/0.75KW 2.0A
<b>O/L</b>	2.9 A	2.9 A	1.46 A	10.0 A

### Project Information

Job Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 General Contractor \_\_\_\_\_  
 Distributor \_\_\_\_\_  
 Model \_\_\_\_\_ Quantity \_\_\_\_\_ Voltage/Phase \_\_\_\_\_

### Certified For Construction

By \_\_\_\_\_  
 Company \_\_\_\_\_  
 Address \_\_\_\_\_  
 Date \_\_\_\_\_



# 3-Blade HVLS FAN

## PRODUCT SPECIFICATIONS

### Control Options

- Wired Touch Screen
- Multi Fan Remote (2-6) Fans
- NEMA 4X Remote Enclosure
- NEMA 4X VFD Enclosure
- iFan 4.3 (12 Fans Max/3 Groups Max) \*120V Power Required
  - Humidity/Temperature Sensor
  - BACnet TCP/IP
- iFan 7.0 (24 Fans Max/4 Groups Max) \*120V Power Required
  - BACnet TCP/IP
  - BACnet MSTP
  - Humidity/Temperature Sensor
- iFan 10.0 (30 Fans Max/4 Groups Max) \*120V Power Required
  - BACnet TCP/IP
  - BACnet MSTP
  - Humidity/Temperature Sensor
- BMS Interface Card
  - Modbus TCP/IP
  - BACnet TCP/IP
  - BACnet MSTP
  - Slave Remote

### Mechanical Options

- Mounting extension \_\_\_\_\_ FT / M
- Extra wide beam plate \_\_\_\_\_ IN / MM
- Laminated wood beam brackets
- Truss span mounting kit (consult factory)
- Z-Purlin mounting kit (consult factory)

### Voltage

- 110V Single Phase
- 208 - 240V Single Phase
- 208 - 240V 3 Phase
- 460 - 480V 3 Phase
- 575V 3 Phase

### Fire Panel

- Standard
- Networked



Fan Size	Hanging Weight	Normal Industrial Spacing	RPM
8 FT 1.0 HP		Coming Soon	
10 FT 1.0 HP		Coming Soon	
12 FT 1.0 HP		Coming Soon	
14 FT 1.0 HP		Coming Soon	
16 FT 1.0 HP		75 feet	92
18 FT 1.0 HP		80 feet	81
20 FT 1.0 HP		85 feet	72
24 FT 1.0 HP		90 feet	60



4Front Engineered Solutions reserves the right to change specifications and designs without notice and without incurring obligations. 4Front Engineered Solutions products may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents. Serco as words and logos are registered trademarks belonging to ASSA ABLOY Entrance Systems AB or other companies controlled by the same organization.

©ASSA ABLOY Entrance Systems. All Rights Reserved. Part of ASSA ABLOY  
1612 Hutton Drive, Suite 140 • Carrollton, TX 75006, USA • [www.sercoodockproducts.com](http://www.sercoodockproducts.com)



SSF-3BHVLS-0623

E506041